INDEX OF AUTHORS' NAMES.

TRANSACTIONS. 1895.

And also to such papers as appeared in the Proceedings during the Session 1894—1895 (Nos. 142—154; November, 1894, to July, 1895), but not in Transactions (marked PROC.).

A.

Andrews, *Ernest R.* See *R.* **Meldola.**

Appleyard, *James R.*, and *James* **Walker**, ethereal salts of ethanetetracarboxylic acid, 768.

Archdeacon, *W. H.*, and *Julius B.* **Cohen**, a new method of preparing cyanuric acid, PROC., **1895**, 148.

Armstrong, *Henry E.*, presidential address, 1105.

Armstrong, *Henry E.*, and *William P.* **Wynne**, studies on the constitution of the tri-derivatives of naphthalene. No. 10. The dichloro-*a*-naphthols and trichloronaphthalenes from 3 : 4-dichlorophenyl-1-isocrotonic acid, PROC., **1895**, 78.

—— —— studies on the constitution of the tri-derivatives of naphthalene. No. 11. The trichloronaphthalene derivable from Clève's 1 : 2 : 2′ : *a*-nitrochloronaphthalenesulphonic chloride, PROC., **1895**, 79.

—— —— studies on the constitution of the tri-derivatives of naphthalene. No. 12. The trichloronaphthalene derivable from Alen's *a*-nitronaphthalene-2 : 2′-disulphonic chloride, PROC., **1895**, 81.

—— —— studies on the constitution of the tri-derivatives of naphthalene. No. 13. The *a*-naphthylamine-2 : 2′-disulphonic acid of Freund's German patent 27346, PROC., **1895**, 82.

—— —— the non-existence of a trichloronaphthalene, melting at 75·5°. The formation of chloro-derivatives from sulphonic chlorides, PROC., **1895**, 83.

—— —— studies on the constitution of the tri-derivatives of naphthalene No. 14. The fourteen isomeric trichloronaphthalenes, PROC., **1895**, 84.

Aston, *Emily.* See *J.* **Walker.**

B.

Baker, *Julian L.* See *A. R.* **Ling.**

Barnett, *Robert E.*, note on the formation of platinic pyrophosphate, 513.

Beadle, *Clayton.* See *C. F.* **Cross.**

Bedford, *Charles S.*, and *Arthur G.* **Perkin**, some derivatives of maclurin, 933.

Bedson, *P. Phillips*, and *Saville* **Shaw**, on the occurrence of argon in the gases enclosed in rock salt, PROC., **1895**, 143.

Bellairs, *N. E.* See *W. R. E.* **Hodgkinson.**

Bentley, *W. E.*, $\beta\beta$-methylethylpropionic acid, $CHMeEt{\cdot}CH_2{\cdot}COOH$, 264.

Bentley, *W. H.* See also *M. W.* **Burrows.**

Bevan, *Edward J.* See *C. F.* **Cross.**

Bloxam, *W. Popplewell*, the sulphides and polysulphides of ammonium, 277.

Board, *Gregory*, obituary notice of, 1112.

Bolam, *Herbert W.* See *T.* **Purdie.**

Bone, *William A.*, and *William H.* **Perkin**, *jun.*, the condensation of ethylic trimethylenedicarboxylate with ethylic malonate, 108.

—— —— trimethylsuccinic and $\alpha\alpha_1$-dimethylglutaric acids, 416.

Bošek, *Otto*, action of hydrogen sulphide on antimonic acid solutions, 515.

Brauner, *Bohuslav*, action of hydrogen sulphide on solutions of antimonic, arsenic, and telluric acids, 527.

Brauner, *Bohuslav*, on the atomic weight of tellurium, 519.
Brown, *Horace T.*, and *G. Harris* **Morris**, note on the action of diastase on cold starch paste, 309.
—— —— on the isomaltose of C. J. Lintner, 709.
Bruce, *James*. See *W. P.* **Wynne**.
Buchanan, *John Y.*, on the use of the globe in crystallography, PROC., **1894**, 226.
Burrows, *M. W.*, and *W. H.* **Bentley**, methylisobutylacetic acid, 509.

C.

Carr, *Francis H.* See *W. R.* **Dunstan**.
Carteighe, *John*, obituary notice of, 1112.
Chapman, *Alfred C. A. W. H.*, essential oil of hops, 54.
—— some derivatives of humulene, 780.
Chattaway, *Frederick D.*, ββ-dinaphthyl and its quinones, 653.
Chattaway, *Frederick D.*, and *Harry* **Ingle**, a new series of hydrazines, 1090.
Chikashigé, *Masumi*, mercury perchlorates, 1013.
Clève, *Per T.*, the life-work of Marignac, 468.
Cohen, *Julius B.* See also *W. H.* **Archdeacon** and *H. R.* **Hirst**.
Collie, *John Norman*, a new form of barometer, 128.
—— action of heat on ethylic β-amidocrotonate. Part II. 215.
Collie, *John Norman*. See also *W.* **Ramsay** and *Miss A. P.* **Sedgwick**.
Coote, *Arthur H.* See *W. R.* **Hodgkinson**.
Cope, *Frank*. See *A. G.* **Perkin**.
Crompton, *Holland*, on latent heat of fusion, 315.
Crompton, *Holland*, and *Miss M. A.* **Whiteley**, the melting point of mixtures, 327.
Cross, *Charles F.*, *Edward J.* **Bevan**, and *Clayton* **Beadle**, contributions to the chemistry of cellulose, 433.
Cundall, *James T.*, dissociation of liquid nitrogen peroxide. Part II. The influence of the solvent, 794.

D.

Davidson, *W. B.* See *F. R.* **Japp**.
Deeley, *R. M.*, refraction equivalents of the elements and the periodic law, PROC., **1895**, 10.
Deerr, *N. F.*, note on the latent heat of fusion, PROC., **1895**, 125.
Dewar, *James*, phosphorescence and photographic action at the temperature of boiling liquid air, PROC., **1894**, 171.
—— the relative behaviour of chemically prepared and of atmospheric nitrogen, PROC., **1894**, 222.
Divers, *Edward*, the acid sulphate of hydroxylamine, 226.
Divers, *Edward*, and *Tamemasa* **Haga**, potassium nitrosulphates, 452.
—— —— sodium nitrososulphate, 1095.
—— —— the constitution of nitrososulphates, 1098.
Dixon, *Augustus E.*, substitution derivatives of urea and thiourea, 556.
—— acidylthiocarbimides, 1040.
Dixon, *Augustus E.*, and *Robert E.* **Doran**, derivatives of succinyl- and phthalyl-dithiocarbimides, 565.
Dobbie, *James J.*, and *Alexander* **Lauder**, corydaline. Part IV. 17.
—— —— the alkaloïds of *Corydalis cava*: corybulbine, 25.
Doran, *Robert E.* See *A. E.* **Dixon**.
Dunstan, *Wyndham R.*, and *Francis H.* **Carr**, contributions to our knowledge of the aconite alkaloïds. Part XI. The constitution of aconitine: acetyl derivatives of benzaconine and aconitine, 459.
—— —— contributions to our knowledge of the aconite alkaloïds. Part XII. The constitution of pseudoaconitine, PROC., **1895**, 154.
Dunstan, *Wyndham R.*, and *Henry* **Garnett**, the constituents of *Piper ovatum*, 94.
—— —— note on the active constituents of the pellitory of medicine, 100.
Dunstan, *Wyndham R.*, and *Hooper A. D.* **Jowett**, aconitine aurochlorides, PROC., **1895**, 27.
Dyer, *Bernard*, Kjeldahl's method for the determination of nitrogen, 811.

E.

Evans, *Philip N.*, obituary notice of, 1113.
Ewing, *Arthur R.* See *G. G.* **Henderson**.

F.

Fenton, *Henry J. H.*, a new method of obtaining dihydroxytartaric acid, and the use of this acid as a reagent for sodium, 48.

—— new formation of glycollic aldehyde, 774.

—— note on the transformation of ammonium cyanate into urea, PROC., **1895**, 138.

Forster, *Martin O.*, new derivatives from α-dibromocamphor, PROC., **1895**, 4.

Forster, *Martin O.* See *W. A.* **Tilden.**

Frankland, *Percy F.*, and *James* **Henderson**, some ethereal derivatives of sarcolactic acid, PROC., **1895**, 54.

G.

Garnett, *Henry.* See *W. R.* **Dunstan.**

Geldard, *Julius.* See *A. G.* **Perkin.**

Gladstone, *John H.*, and *Walter* **Hibbert**, the molecular refraction of dissolved salts and acids, 831.

Glendinning, *Tom A.*, note on the gravimetric estimation of maltose by Fehling's solution, 999.

Goodwin, *W.*, and *William H.* **Perkin**, *jun.*, *cis-* and *trans*-hexahydro-orthotoluic acids, 119.

Greeves, *Alfred W.* See *W. P.* **Wynne.**

H.

Hada, *Seihachi*, mercury and bismuth hypophosphites, 227.

Haga, *Tamemasa*, and *Yūkichi* **Ōsaka**, acidimetry of hydrogen fluoride, 251.

Haga, *Tamemasa.* See also *E.* **Divers.**

Hambly, *Frederick J.* See *J.* **Walker.**

Haworth, *E.*, and *William H.* **Perkin**, *jun.*, phenyl ethers of methylene and ethylene-glycols. Synthesis of *a*-methylbutyrolactone, PROC., **1895**, 40.

Henderson, *George G.*, and *Arthur R.* **Ewing**, action of certain acidic oxides on salts of hydroxy-acids. Part I. Metallic tartrarsenites, 102.

Henderson, *George G.*, and *David* **Prentice**, the action of certain acidic oxides on salts of hydroxy-acids. Part II, 1030.

Henderson, *James.* See *P. F.* **Frankland** and *J.* **Walker.**

Herzfelder, *Armand*, the interaction of sulphur and α-nitronaphthalene, 640.

Heycock, *Charles T.*, and *Francis H.* **Neville**, on the determination of high temperatures by means of platinum resistance pyrometers, 160.

—— —— on the freezing points of gold and silver, 1024.

Hibbert, *Walter.* See *J. H.* **Gladstone.**

Hirst, *Henry R.*, and *Julius B.* **Cohen**, a modification of Zincke's reaction, 826.

—— —— a method for preparing the formyl derivatives of the aromatic amines, 829.

Hodgkinson, *William R.*, and *N. E.* **Bellairs**, oxidising action of ammonia solution on some metals, PROC., **1895**, 9.

Hodgkinson, *William R.*, and *Arthur H.* **Coote**, action of magnesium on some phenylhydrazine compounds, PROC., **1895**, 9.

I.

Ince, *Walter H.*, preparation of adipic acid and some of its derivatives, 155.

Ingle, *Harry*, and *Harold H.* **Mann**, stereoisomeric osazones. Part I, 606.

Ingle, *Harry.* See also *F. D.* **Chattaway.**

J.

Japp, *Francis R.*, and *W. B.* **Davidson**, interaction of 1 : 2-diketones with primary amines of the general formula, $R{\cdot}CH_2{\cdot}NH_2$, 32.

—— —— condensation of benzile with ethylic malonate, 132.

Japp, *Francis R.*, and *G. Druce* **Lander**, condensation of benzile with ethylic acetoacetate, PROC., **1895**, 146.

Jowett, *Hooper A. D.* See *W. R.* **Dunstan.**

K.

Kipping, *F. Stanley*, stereoisomeric *aa'*-dimethylpimelic acids, 139.

—— dimethylketohexamethylene, 349.

—— bromocamphoric acid, an oxidation product of π-dibromocamphor, PROC., **1895**, 33.

—— derivatives of π-bromocamphoric acid, PROC., **1895**, 88.

Kipping, *F. Stanley* and *William J.* **Pope**, sulphonic derivatives of camphor, 354.
—— —— π-halogen derivatives of camphor, 371.
—— —— the melting points of racemic modifications and of optically active isomerides, PROC., **1895**, 39.
—— —— new isomeric sulphonic chlorides derived from camphor, PROC., **1895**, 57.
Kipping, *F. Stanley*, and *O. F.* **Russell**, paraheptotoluene and its derivatives, 502.

L.

Lander, *G. Druce.* See *F. R.* **Japp.**
Lapworth, *Arthur*, β-ethoxynaphthalenesulphonic acids. The arrest of isomeric change at an intermediate point, PROC., **1895**, 49.
Lauder, *Alexander.* See *J. J.* **Dobbie.**
Laurie, *Arthur P.*, the electromotive force of an iodine cell, PROC., **1895**, 30.
Lewis, *Percy B.*, a new method of determining the freezing points of very dilute solutions, 1.
Linder, *S. Ernest*, and *Harold* **Picton**, solution and pseudo-solution. Part II. Some physical properties of arsenious sulphide and other solutions, 63.
Ling, *Arthur R.*, and *Julian L.* **Baker**, octacetylmaltose, 212.
—— —— action of diastase on starch, 702, 739.
Littleton, *Fannie T.*, remarkable molecular change in a silver amalgam, 239.
Luxmore, *Charles M.*, α-ethylenedihydroxylamine dihydrobromide, 1018.
—— alleged isomerism of potassium nitrososulphate, 1019.
—— the oximes of benzaldehyde and their derivatives, PROC., **1895**, 149.

M.

MacCallum, *William, jun.*, derivatives of ethylorthotoluidine, 246.
Maclaurin, *J. S.*, action of potassium cyanide solutions on gold and silver, 199.
Mann, *Harold H.* See *H.* **Ingle.**
Marignac, *Jean Charles Galissard de*, memorial lecture on, 468.
Marshall, *B. M. C.* See *W. A.* **Tilden.**
Meldola, *Raphael*, and *Andrews*, the action of nitrous acid on 2 : 5-dibromaniline, PROC., **1895**, 109.
Meldola, *Raphael*, and *Frederick W.* **Streatfeild**, isomeric dinitrodiazoamidobenzenes and their melting points, 50.
—— —— homonucleal tri-derivatives of naphthalene, 907.
Mills, *Charles*, some new azo-compounds, 925.
Moody, *Gerald T.*, studies in isomeric change. Part IV. Ethylbenzenesulphonic acids, PROC., **1895**, 47.
Morris, *G. Harris*, the hydrolysis of maltose by yeast, PROC., **1895**, 46.
Morris, *G. Harris.* See also *H. T.* **Brown.**
Muir, *M. M.* **Pattison**, and *Edwin M.* **Eagles**, note on the interaction of bismuth haloïd compounds and hydrogen sulphide, 90.

N.

Neville, *Francis H.* See *C. T.* **Heycock.**

O.

Oates, *William H.*, attempts to estimate sulphur compounds in the atmosphere, PROC., **1894**, 218.
Orton, *K. J. P.* See *S.* **Ruhemann.**
Ōsaka, *Yūkichi.* See *T.* **Haga.**

P.

Pate, *Lewis.* See *A. G.* **Perkin.**
Perkin, *Arthur G.*, kamala. Part II. 230.
—— derivatives of β-resorcylic acid, 990.
—— some constituents of the root of *Polygonum cuspidatum*, 1084.
Perkin, *Arthur G.*, and *Frank* **Cope**, the constituents of *Artocarpus integrifolia.* Part I, 937.
Perkin, *Arthur G.*, and *Julius* **Geldard**, a constituent of Persian berries, 496.
Perkin, *Arthur G.*, and *John J.* **Hummel**, the colouring principles of *Toddalia aculeata* and *Evodia meliæfolia*, 413.
—— —— the colouring and other principles contained in chay root, 817.
Perkin, *Arthur G.*, and *Lewis* **Pate**, acid compounds of some natural yellow colouring matters, 644.
Perkin, *Arthur G.* See also *C. S* **Bedford.**

Perkin, *William H., sen.*, the magnetic rotation of some unsaturated hydrocarbons, 255.

Perkin, *William H., jun.*, sulphocamphylic acid. Part II, PROC., **1895**, 23.

Perkin, *William H., jun.*, and *J. Joseph* **Sudborough**, the reduction of chlorides of organic acids, PROC., **1894**, 216.

Perkin, *William H., jun.* See also *W. A.* **Bone**, *W.* **Goodwin**, *E.* **Haworth.**

Perman, *Edgar P.*, rate of escape of certain gases from solutions of varying concentration, 868, 983.

—— the existence of hydrates and of double compounds in solution, PROC., **1895**, 87.

Peške, *Zdeněk*, the volumetric estimation of sugars by an ammoniacal cupric solution, PROC., **1895**, 43.

Pickering, *Spencer U.*, a comparison of some properties of acetic acid and its chloro- and bromo-derivatives, 664.

Picton, *Harold.* See *S. E.* **Linder.**

Plimpton, *Richard T.*, and *John C.* **Chorley**, titration of iodine solutions with barium thiosulphate, 314.

Pope, *William J.*, orthobenzoic sulphinide, 985.

—— the crystalline form of the isomeric dimethylpimelic acids, PROC., **1895**, 8.

Pope, *William J.* See also *F. S.* **Kipping.**

Prentice, *David.* See *G. G.* **Henderson.**

Purdie, *Thomas*, and *Herbert W.* **Bolam**, optically active methoxysuccinic and propoxysuccinic acids, 944.

Purdie, *Thomas*, and *J. Wallace* **Walker**, preparation of the active lactic acids, and the rotation of their metallic salts in solution, 616.

Purdie, *Thomas*, and *Sidney* **Williamson**, ethereal salts of active methoxysuccinic and ethoxysuccinic acids, 957.

R.

Ramage, *Hugh.* See *J.* **Reddrop.**

Ramsay, *William*, *J. Norman* **Collie**, and *Morris W.* **Travers**, helium, a constituent of certain minerals, 684.

Reddrop, *Joseph*, and *Hugh* **Ramage**, volumetric estimation of manganese, 268.

Rennie, *Edward H.*, a colouring matter from *Lomatia ilicifolia* and *L. longifolia*, 784.

Richmond, *H. Droop*, the milk of the gamoose, PROC., **1895**, 77.

Rose, *Tom K.*, note on liquation in crystalline standard gold, 552.

—— the dissociation of chloride of gold, 881.

—— some physical properties of the chlorides of gold, 905.

Ruhemann, *Siegfried*, and *K. J. P.* **Orton**, studies in the malonic acid series, 1002.

Russell, *O. F.* See *F. S.* **Kipping.**

S.

Schunck, *Edward*, the yellow colouring matter of *Sophora japonica*, 30.

Sedgwick, *Annie P.*, and *J. Norman* **Collie**, some oxypyridine derivatives, 399.

Shaw, *Saville.* See *P. P.* **Bedson.**

Smithells, *Arthur*, on flame temperatures and the acetylene theory of luminous hydrocarbon flames, 1049.

Sonstadt, *Edward*, note on the reduction of potassium platinochloride, 984.

Stern, *Arthur L.*, contributions to the chemistry of cellulose. I. Cellulosesulphuric acid and the products of its hydrolysis, 74.

Sudborough, *J. Joseph*, diortho-substituted benzoic acids. I. Substituted benzoyl chlorides, 587.

—— diortho-substituted benzoic acids. II. Hydrolysis of aromatic nitriles and acid amides, 601.

—— note on the action of sodium ethoxide on deoxybenzoïn, 604.

Sudborough, *J. Joseph.* See *W. H.* **Perkin**, *jun.*

T.

Thomas, *G. L.*, and *Sydney* **Young**, the vapour pressures, specific volumes, and critical constants of normal hexane, 1071.

Tilden, *William A.*, and *Martin O.* **Forster**, action of nitrosyl chloride on amides, 489.

Tilden, *William A.*, and *B. M. C.* **Marshall**, action of nitrosyl chloride on asparagine and aspartic acid. For-

mation of lævorotatory chlorosuccinic acid, 494.
Travers, *Morris W.* See *W.* **Ramsay.**

V.

Veley, *Victor H.*, the action of hydrogen chloride on the oxides of calcium, barium, and magnesium, PROC., **1894**, 240.

W.

Walker, *Cora*, chemical composition of two silver ornaments from Inca graves at Chimbote, Peru, 242.
Walker, *James*, and *Emily* **Aston**, affinity of weak bases, 576.
Walker, *James*, and *Frederick J.* **Hambly**, transformation of ammonium cyanate into urea, 746.
Walker, *James*, and *James* **Henderson**, electrolysis of potassium alloethylic camphorate, 337.
Walker, *James.* See also *J. R.* **Appleyard.**
Walker, *J. Wallace*, the ethereal salts of the optically active lactic, chloropropionic, and bromopropionic acids, 914.
Walker, *J. Wallace.* See also *T.* **Purdie.**
Walter, *L. Edna*, note on thio-derivatives from sulphanilic acid, PROC., **1895**, 141.
Whiteley, *Miss M. A.* See *H.* **Crompton.**
Williamson, *Sidney.* See *T.* **Purdie.**
Wright, *Charles R. A.*, obituary notice of, 1113.
Wright, *Lewis T.*, a property of the non-luminous coal gas flame, PROC., **1895**, 72.
Wynne, *William P.*, and *James* **Bruce**, the disulphonic acids of toluene and of ortho- and para-chlorotoluene, PROC., **1895**, 152.
Wynne, *William P.*, and *Alfred* **Greeves**, the six dichlorotoluenes and their sulphonic acids, PROC., **1895**, 151.
Wynne, *William P.* See also *H. E.* **Armstrong.**

Y.

Young, *George*, synthesis of diphenyloxytriazole, 1063.
—— action of benzaldehyde on phenylsemicarbazide, PROC., **1895**, 124.
Young, *Sydney.* See *G. L.* **Thomas.**

INDEX OF SUBJECTS.

TRANSACTIONS. 1895.

And also to such papers as appeared in the Proceedings during the Session 1894—1895 (Nos. 142—154; November, 1894, to July, 1895), but not in Transactions (marked PROC.).

A.

Acetamide, action of nitrosyl chloride on, 489.
Acetanilide and *m*-dinitrobenzene, melting points of mixtures of, 331.
—— and *α*-dinitrophenol, melting points of mixtures of, 331.
—— and *m*-nitraniline, melting points of mixtures of, 330.
Acetic acid and its chloro- and bromo-derivatives, comparison of the properties of, 664.
—— —— chlor-, isomeric modifications of, 665, 669.
m-Acetylamidoazobenzene, 926.
Acetyl-1 : 5-diphenyl-3-oxytriazole, 1066.
Acetylene, flame of, 1059.
—— incomplete combustion of, PROC., **1894**, 180.
—— occurrence of, in flames, 1057,
—— theory of luminous hydrocarbon flames, 1049, 1147.
Acetylethyl-*o*-toluidine, *p*-nitro-, 247.
α-Acetylnaphthalide, 4 : 2-iodonitro-, 912.
Acetylphenylhydrazine, action of magnesium on, PROC., **1895**, 10.
Acetyl-*m*-toluidide, 2-chloro-, PROC., **1895**, 152.
—— 5 : 6-dichloro-, PROC., **1895**, 152.
Acetyl-*o*-toluidide, 6-chloro-, PROC., **1895**, 152.
Acetyl-*p*-toluidide, 2-chloro-, PROC., **1895**, 152.
Acetyltrimethylcyanopropionic acid, 426.
Acetylveratrylpseudaconine, PROC., **1895**, 155.
Acid, $C_{10}H_{14}O_4$, derived from *π*-bromocamphoric acid, PROC., **1895**, 88.
Acid, $C_{10}H_{12}O_5$, derived from *π*-bromocamphoric acid, PROC., **1895**, 88.
—— $C_{10}H_{14}O_6$, derived from *π*-bromocamphoric acid, PROC., **1895**, 88.
Acid-amides, aromatic, hydrolysis of, 601.
Acids, dissolved, molecular refraction of, 831.
—— hydroxy-, action of acidic oxides on the salts of, 102, 1030.
—— organic, reduction of the chlorides of, PROC., **1894**, 216.
Acidylthiocarbimides, 1040.
Aconite alkaloïds, 459; PROC., **1895**, 154.
Aconitine, acetyl derivatives of, 459.
—— aurochlorides, PROC., **1895**, 27.
—— constitution of, 459, 464.
Adipic acid, preparation of, 155.
—— —— bromo-, 159.
Affinities of feeble bases, 576.
Air, liquid, phosphorescence and photographic action at the temperature of boiling, PROC., **1894**, 171.
Alkaloïds of *Corydalis cava*, 25.
ab-Allylphenylcarbamide, 564.
ab-Allylphenylurea, 564.
ab-Allyl-*o*-tolylthiocarbamide, 559.
Aluminium, freezing point of, 187.
Amides, action of nitrosyl chloride on, 489.
Amidohydroxypicoline, 223.
Amines, aromatic, preparation of the formyl derivatives of, 829.
—— primary, interaction of 1 : 2-diketones with, 32.
Ammonia, concentrated aqueous, action of hydrogen sulphide on, 283.
—— rate of escape of, from solutions of varying concentration, 871, 878, 879, 984.
—— solution, oxidising action of, on some metals, PROC., **1895**, 9.

Ammonium antimoniocitrate, 1031.
—— arseniocitrate, 1034.
—— arseniotartrate, 104.
—— chloride, molecular refraction of dissolved, 836, 844, 865.
—— cyanate, transformation of, into urea, 746.
—— enneasulphide, 305.
—— heptasulphide, 306.
—— hydrogen ethoxysuccinates, active, 966.
—— hydrosulphide, oxidation changes of, 277.
—— —— preparation of, 283.
—— —— solid, attempts to prepare, 286.
—— iodide, molecular refraction of dissolved, 837, 845.
—— pentasulphide, 295.
—— salts, fused, action of metals on, Proc., **1895**, 114.
—— sulphide, attempts to prepare, in solution, 288.
—— —— crystals, preparation of, 292.
—— —— solution (reputed), action of sulphur on, 297.
—— sulphides and polysulphides, 277.
—— tartrarsenite, 104.
—— tetrasulphide, 301, 302.
—— trisulphide, attempts to prepare, 303.
—— zinc lactates, active, preparation of, 617.
—— —— sulphate, molecular refraction of dissolved, 838.
iso-Amylcarbamide, 564.
Amylene, magnetic rotation of, 256.
iso-Amylthiourea, 559.
iso-Amylurea, 564.
Anacyclus Pyrethrum, active constituent of, 100.
Anhydromorin sulphate, 649.
Aniline, action of nitrosobenzene on, 928.
—— 2 : 5-dibromo-, action of nitrous acid on, Proc., **1895**, 109.
—— *m*-nitro- and acetanilide, melting points of mixtures of, 330.
—— —— and *m*-dinitrobenzene, melting points of mixtures of, 330.
Anniversary meeting, 1105.
Anthragallol dimethyl ether from chay root, 819, 824.
Antimonic acid, solutions, action of hydrogen sulphide on, 515, 527, 534.
Antimoniocitric acid, salts of, 1030.
Antimonious oxide, action of, on citrates, 1030.
—— —— action of, on lactates, 1036.
—— —— action of, on malates, 1035.
—— —— action of, on mucates, 1036.
Antimonious salts, action of oxidising agents on, 516.
Antimony, freezing point of, 186.
—— pentasulphide, action of heat on, 529.
—— —— action of light on, 528.
—— potassium chloride, 516.
Argon, occurrence of, in the gases enclosed in rock salt, Proc., **1895**, 143.
Arsenic acid, action of hydrogen sulphide on solutions of, 527, 533.
Arsenious anhydride, action of, on citrates, 1033.
—— —— action of, on lactates, 1036.
—— —— action of, on mucates, 1038.
—— —— action of, on potassium malate, 1036.
—— sulphide solutions, coagulation of, 63.
—— —— —— physical properties of, 63.
—— —— —— sp. gr. of, 71.
Artocarpus integrifolia, constituents of the wood of, 937.
Asparagine, action of nitrosyl chloride on, 491, 494.
Aspartic acid, action of nitrosyl chloride on, 494.
Association hypothesis of chemical action, 1124.
Atmosphere, attempts to estimate the sulphur in, Proc., **1894**, 218.
Atomic weight of tellurium, 549.
Azobenzene, *m*-amido-, 928.
Azo-compounds, 925.

B.

Balance sheet of the Chemical Society, from March 16, 1894, till March 16, 1895, 1120.
Balance sheet of the Research Fund, from March 16, 1894, till March 16, 1895, 1121.
Barium antimoniocitrate, 1031.
—— chloride, mol. refraction of dissolved, 836, 844.
—— nitrate, mol. refraction of dissolved, 838, 846.
—— oxide, action of dry hydrogen chloride on, Proc., **1894**, 240.
—— *l*-propoxysuccinate, 956.
—— rottlerin, 235.
—— tartrarsenite, 105.
Barometer, new form of, 129.
Bases, metallic, affinity of, 585.
—— organic, affinity of, 582.
—— weak, affinities of, 576.
Benzaconine, acetyl derivatives of, 459.
Benzaldehyde, action of phenylsemicarbazide on, 1063; Proc., **1895**, 124.

Benzaldoximes, action of phosphorus pentachloride on, PROC., **1895**, 149.
—— ethers of, PROC., **1895**, 149.
—— isomerism of, PROC., **1895**, 149.
Benzamide, action of nitrosyl chloride on, 490.
—— 2 : 4-dibromo-, 603.
—— 2 : 6-dibromo-, 595, 603.
—— —— hydrolysis of, 603.
—— 3 : 5-dibromo-, 594.
—— 2 : 4 : 6-tribromo-, 597.
—— 3 : 4 : 5-tribromo-, 596.
Benzene, condensation of, with benzylidene chloride, 829.
—— condensation of, with chloroform, 829.
—— *m*-dinitro-, and acetanilide, melting points of mixtures of, 331.
—— —— and *m*-nitraniline, melting points of mixtures of, 330.
—— nitroso-, action of, on aniline and on phenylhydrazine, 928.
m-Benzeneazo-*o*-acetyltoluidide, 932.
p-Benzeneazo-*o*-acetyltoluidide, 931.
Benzeneazocyanomaclurin, 942.
Benzeneazomaclurin, 933.
—— dyeing properties of, 936.
—— *p*-nitro-, 934.
p-Benzeneazotoluene, 929.
—— *m*-amido-, 932.
p-Benzeneazotoluenesulphonic acid, 930.
—— chloride, 930.
Benzile, action of benzylamine on, 35.
—— action of ethylamine on, 43.
—— condensation of, with ethylic acetoacetate, PROC., **1895**, 146.
—— condensation of, with ethylic malonate, 132.
α-Benzileosazone, 611.
—— conversion of, into the *β*-modification, 612.
β-Benzileosazone, 614.
Benzoic acid, 2 : 6-dibromo-, 603.
Benzoic acids, diortho-substituted, 587, 601.
Benzoic chloride, *m*-bromo-, and its stability towards bases, 590.
—— —— *o*-bromo-, and its stability towards bases, 589.
—— —— *p*-bromo-, and its stability towards bases, 591.
—— —— 2 : 4-dibromo-, and its stability towards bases, 592.
—— —— 2 : 6-dibromo-, and its stability towards bases, 594.
—— —— 3 : 5-dibromo-, and its stability towards bases, 593.
—— —— 2 : 6-dinitro-, and its stability towards bases, 599.
—— —— reduction of, PROC., **1894**, 216.
Benzoic chloride, 2 : 3 : 4 : 6-tetrabromo- and its stability towards bases, 597.
—— —— 2 : 4 : 6-tribromo- and its stability towards bases, 596.
—— —— 3 : 4 : 5-tribromo- and its stability towards bases, 595.
—— —— 2 : 4 : 6-trinitro- and its stability towards bases, 600.
—— chlorides, substituted, 587.
o-Benzoicsulphinide, crystallography of, 985.
β-Benzoylcinnamic acid, 137.
Benzoyl-1 : 5-diphenyl-3-oxytriazole, 1066.
Benzoylphenylhydrazine, action of magnesium on, PROC., **1895**, 10.
Benzylamine, action of benzile on, 35.
—— action of, on phenanthraquinone, 46.
Benzylidenephenylhydrazone, action of iodine and sodium ethoxide on, 606, 611.
—— oxidation of, with amylic nitrite, 615.
Benzyllophine, 38.
ab-Benzyl-*m*-tolylcarbamide, 563.
ab-Benzyl-*o*-tolylcarbamide, 562.
ab-Benzyl-*m*-tolylurea, 563.
ab-Benzyl-*o*-tolylurea, 562.
Bismuth bromide, action of hydrogen sulphide on, 91.
—— chloride, action of hydrogen sulphide on, 91.
—— haloïd compounds, action of hydrogen sulphide on, 90.
—— hypophosphite, 227, 229.
—— liquation caused in standard gold by the presence of, 552.
—— sulphide, action of bromine on, 92.
—— —— action of chlorine on, 92.
—— thiobromide, 91.
—— thiochloride, 91.
—— thiohaloïd compounds, analysis of, 93.
—— thioiodide, 92.
Bromine, rate of escape of, from aqueous solutions of varying concentration, 874, 879.
iso-Butylanhydrodibenzilacetoacetic acid, PROC., **1895**, 147.
iso-Butylcarbamide, 559.
sec-Butylcarbamide, 560.
Butylic *l*-ethoxysuccinate, 973.
—— *l*-methoxysuccinate, 971.
iso-Butylic *d*-ethoxysuccinate, 974.
—— *l*-ethoxysuccinate, 974.
sec-Butylic bromide, 265.
ab-sec-Butylphenylcarbamide, 561.
ab-sec-Butylphenylurea, 561.
sec-Butylthiourea, 559.

Butylurea, 560.
iso-Butylurea, 559.
Butyric chloride, reduction of, PROC., 1895, 216.

C.

Cadmium, *d*-lactate, 626.
Cæsium sulphate, mol. refraction of dissolved, 838.
Calcium chloride, mol. refraction of dissolved, 836, 844, 864.
—— *l*-lactate, 626.
—— oxide, action of dry hydrogen chloride on, PROC., 1894, 240.
—— rottlerin, 235.
—— tartrarsenite, 105.
Camphene, α-dichloro, PROC., 1895, 57.
Camphenesulphonamide, α-chloro-, PROC., 1895, 57.
—— β-chloro-, PROC., 1895, 58.
Camphenesulphonic chloride, α-chloro-, PROC., 1895, 57.
—— —— β-chloro, PROC., 1895, 57.
allo-Campholytic acid, 341.
—— —— dibromide, 343.
iso-Campholytic acid, identity of camphothetic acid with, 347.
Camphor, π-bromo-, dextrorotatory, 382.
—— —— racemic, 387.
—— bromonitro-, PROC., 1895, 34.
—— π-chloro-, dextrorotatory, 377.
—— —— inactive, 378.
—— chlorobromo-, action of nitric acid on, PROC., 1895, 6.
—— απ-chlorobromo-, 399.
—— πα-chlorobromo-, 397.
—— α-dibromo-, action of nitric acid on, PROC., 1895, 5.
—— —— derivatives of, PROC., 1895, 4.
—— απ-dibromo-, 391.
—— απ-dichloro-, 389.
—— π-halogen derivatives of, 371.
—— isomeric sulphonic chlorides derived from, PROC., 1895, 57.
—— sulphonic derivatives of, 354.
Camphoric acid, π-bromo-, derivatives of, PROC., 1895, 88.
—— —— —— from the oxidation of π-di-bromocamphor, PROC., 1895, 33.
—— —— constitution of, 345.
Camphoric anhydride, π-bromo-, PROC., 1895, 34.
Camphorsulphonic bromide, bromo-, 367.
—— —— chloro-, 369.
—— —— dextrorotatory, preparation of, 364.
Camphorsulphonic bromide, optically inactive, preparation of, 359.
—— chloride, dextrorotatory, preparation of, 358.
—— —— optically inactive, preparation of, 357.
—— chlorides, chloro-, and bromo-, preparation of, 356.
Camphothetic acid, identity of with *iso*-campholytic acid, 347.
Camphylic acid, bromo-, PROC., 1895, 24.
—— —— sulphochloride, PROC., 1895, 24.
Carbamide, action of nitrosyl chloride on, 490.
—— substitution derivatives of, 556.
—— transformation of ammonium cyanate into, 746.
Carbon, alleged separation of, in the cyanogen flame, 1061.
Carbonic anhydride, rate of escape of, from aqueous solutions of varying concentration, 874, 879.
Cellulose, acetylation of, 447.
—— chemistry of, 433.
—— electrochemical phenomena of, 436, 449.
—— hydrolysis and hydration of, 441.
—— sulphuric acid and the products of its hydrolysis, 74.
—— tetracetate, 448.
Celluloses, classification of, 439.
Cerium-yttrium group, not yet thoroughly characterised elements of, 477.
—— —— perfectly characterised elements of, 475.
Chay root, colouring and other principles contained in, 817.
Chelidamic acid, 403.
Chemical affinity, nature of, 1124.
—— change and electrolytic change, unity of, 1139.
—— —— and the conditions which determine it, nature of, 1122.
—— —— effect of "impurity" in conditioning, 1139.
—— —— electromotive efficiency in, 1147.
—— —— influence of moisture on, 1139.
—— constitution and latent heat of fusion, relationships between, 315.
Chlorine, rate of escape of, from aqueous solutions of varying concentration, 874, 879.
ab-Cinnamoyl-α-naphthylthiocarbamide, 1048.
Cinnamoylphenylcarbamide, 1047.
ab-Cinnamoylphenylthiocarbamide, 1046.

Cinnamoylthiocarbimide, derivatives of, 1046.
Cinnamoylthiourea, 1048.
Cinnamoylthiourethane, 1049.
ab-Cinnamoyl-*o*-tolylthiocarbamide, 1047.
ab-Cinnamoyl-*p*-tolylthiocarbamide, 1047.
Citric acid, action of antimonious oxide, on the salts of, 1030.
—— —— action of arsenious anhydride on the salts of, 1033.
Clèvite, discovery of helium in, 1107.
—— spectrum of the gas from, 1108.
Coagulation of arsenious solutions, 63.
Coal-gas flame, chemistry and structure of, 1049.
—— —— —— structure and chemistry of the non-luminous, 1051; PROC., **1895**, 72.
Cobalt, action of, on fused ammonium salts, PROC., **1895**, 114.
—— chloride, molecular refraction of dissolved, 836, 844.
—— oxidising action of ammonia solution on, PROC., **1895**, 9.
Colouring matters from *Lomatia ilicifolia* and *L. longifolia*, 784.
—— —— yellow, compounds of, with acids, 644.
—— principles of chay root, 817.
—— —— of the wood of *Artocarpus integrifolia*, 937.
Combustion, incomplete, of some gaseous carbon compounds, PROC., **1894**, 179.
Copper, action of, on fused ammonium salts, PROC., **1895**, 114.
—— chloride, molecular refraction of dissolved, 836, 844.
—— freezing point of, 190.
Corybulbine, 25.
—— action of hydrogen iodide on, 28.
—— hydrochloride, 27.
—— methiodide, 28.
—— platinochloride, 27.
—— sulphate, 27.
Corydalic acid, 22.
Corydaline, 17, 21.
—— action of chlorine on, 17.
—— chloro-, 17.
—— oxidation of, with potassium permanganate, 17.
—— specific rotation of, 17.
Corydalinic acid, action of hydrogen iodide on, 21.
—— —— constitution of, 24.
Corydalis cava, alkaloïds of, 25.
Crystallography, use of the globe in the study of, PROC., **1894**, 226.
Cyanogen, alleged liberation of carbon from, in flames, 1061.
—— incomplete combustion of, PROC., **1894**, 180.
Cyanomaclurin, 939.
Cyanuric acid, preparation of, PROC., **1895**, 148.

D.

Decylene, magnetic rotation of, 257.
Deoxybenzoïn, action of sodium ethoxide on, 604.
—— action of sodium methoxide on, 605.
Desylacetic acid, 137.
Desyleneacetic acid, 137.
Desylenemalonic acid, 135.
Diacetylaconitine, 462.
Diacetylbenzaconine, 459.
Diacetylhydroxylapachol, 791.
Diallyl, magnetic rotation of, 258.
Di-*iso*-amylcarbamide, 554.
Diamylene, magnetic rotation of, 257.
Di-*iso*-amylurea, 564.
Diastase, action of, on starch, 702, 739.
—— action of, on starch paste in the cold, 309.
—— of kiln-dried malt, action of, on maltose, 743.
—— —— —— —— action of, on starch, 707, 744.
Diazoamidobenzene, *m*-dinitro, m. p. of, 51.
—— *o*-dinitro-, preparation and properties of, 52.
—— *p*-dinitro-, m. p. of, 50.
Diazoamidobenzenes, isomeric dinitro-, and their melting points, 50.
β-Diazoamidonaphthalene, 1 : 1′ : 4 : 4′-dichlorodibromo-, 911.
Dibenzoylphenylmethane, PROC., **1895**, 147.
Dibenzylidenediphenylhydrotetrazone, action of alcoholic potash on, 611.
Dibenzyllophonium benzoate, 42.
—— chloride, 36.
—— dibenzoate, 41.
—— hydroxide, 40.
—— nitrate, 42.
ab-Di-*iso*-butylcarbamide, 560.
ab-Di-*sec*-butylcarbamide, 561.
ab-Di-*iso*-butylurea, 560.
ab-Di-*sec*-butylurea, 561.

αγ-Diethoxypicoline, 411.
Dihydroxy-*ββ*-dinaphthaquinone, 662.
ab-Di-*p*-hydroxydiphenylthiocarbamide, 559.
αγ-Dihydroxypicolinic acid, 409.
Dihydroxytartaric acid, preparation of, 48.
o-Diketones, interaction of, with primary amines, 32.
aa-Dimethylcarbamide, 563.
aa$_1$-Dimethylglutaric acids, 416.
cis-*aa*$_1$-Dimethylglutaric acid, 428.
—— anhydride, 429.
trans-*aa*$_1$-Dimethylglutaric acid, 429.
1 : 3-Dimethylketohexamethylene oxime, 351.
anti-*aa*′-Dimethylpimelic acid, properties of, 151.
p-*aa*′-Dimethylpimelic acid, isolation of, 145.
—— —— properties of, 150.
Dimethylpimelic acids, crystalline form of the isomeric, PROC., **1895**, 8.
aa′-Dimethylpimelic acids, stereoisomeric, 139.
anti-*aa*′-Dimethylpimelic anilide, 154.
p-*aa*′-Dimethylpimelic anilide, 154.
aa′-Dimethylpyridine, *γ*-chloro-, 400.
Dimethylpyrroline, from the dry distillation of ethylic *β*-amidocrotonate, 220.
aa-Dimethylurea, 563.
ββ-Dinaphthadiquinone, 661.
ββ-Dinaphthyl, 656.
—— and its quinones, 653.
Diphenoxymethane, PROC., **1895**, 40.
βγ-Diphenylcrotolactone, 137.
Di-*p*-phenyldisazophenylene, 928.
Diphenylmethane, preparation of, 827.
1 : 5-Diphenyl-3-oxy-1 : 2 : 4-triazole, 1064; PROC., **1895**, 124.
—— synthesis of, 1063.
1 : 5-Diphenyl-1 : 2 : 4-triazole, 1068; PROC., **1895**, 124.
—— hydrochloride, 1070.
—— platinochloride, 1070.
1 : 5-Diphenyl-1 : 2 : 4-triazolecarboxylic acid, 1069.
Dipropargyl, magnetic rotation of, 258.
ab-Dipropylcarbamide, 563.
ab-Dipropylurea, 563.
Dissociation, electrolytic, or ionic, hypothesis of, 1124.
—— of gold chloride, 881.
—— of liquid nitric peroxide, influence of the solvent on the, 794.
ab-*o*-*p*-Ditolylcarbamide, 562.
Di-*m*-tolylthiocarbamide, 559.
ab-*o*-*p*-Ditolylthiocarbamide, 558.
ab-*o*-*p*-Ditolylurea, 562.
Dyeing properties of benzeneazomaclurin and its homologues, 936.
—— —— of jack-wood, 943.

E.

Earths, rare, history of, 470.
Electrical conductivity, insufficient purity of the materials used in the determination of, 1157.
Electrochemical phenomena of cellulose, 436, 449.
Electrolytes, nature of, 1133.
Electrolytic change and chemical change, unity of, 1139.
—— dissociation, hypothesis of, 1124.
Electromotive efficiency of chemical change, 1147.
—— force of an iodine cell, PROC., **1895**, 30.
Elements, refraction equivalents of, and the periodic law, PROC., **1895**, 10.
Emodin methyl ether, 1088.
Ethanetetracarboxylic acid, ethereal salts of, 768.
2-Ethoxy-4 : 6-dimethylpyridine from the dry distillation of ethylic *β*-amidocrotonate, 221.
1-Ethoxynaphthalene, 4 : 2-iodonitro-, 913.
2-Ethoxynaphthalene, sulphonation of, PROC., **1895**, 49.
2 : 1 : 3′-Ethoxynaphthalenedisulphonamide, PROC., **1895**, 51.
2 : 1 : 3′-Ethoxynaphthalenedisulphonanilide, PROC., **1895**, 51.
2 : 1 : 3′-Ethoxynaphthalenedisulphonic acid, PROC., **1895**, 51.
—— chloride, PROC., **1895**, 51.
2 : 3 : 3′-Ethoxynaphthalenedisulphonic chloride, PROC., **1895**., 52.
2 : 1-Ethoxynaphthalenesulphonamide, PROC., **1895**, 52.
2 : 1′-Ethoxynaphthalenesulphonamide, PROC., **1895**, 49.
—— nitro-, PROC., **1895**, 49.
2 : 2′-Ethoxynaphthalenesulphonamide, PROC., **1895**, 50.
2 : 3′-Ethoxynaphthalenesulphonamide, PROC., 50.
—— 1-bromo-, PROC., **1895**, 50.
—— nitro-, PROC., **1895**, 50.
2 : 1-Ethoxynaphthalenesulphonanilide, PROC., **1895**, 52.
2 : 1′-Ethoxynaphthalenesulphonanilide, PROC., **1895**, 49.
2 : 2′-Ethoxynaphthalenesulphonanilide, PROC., **1895**, 50.

2:3′-Ethoxynaphthalenesulphonanilide, Proc., **1895**, 50.
2:1-Ethoxynaphthalenesulphonic acid, isomeric change of, into the 2:1′-acid, Proc., **1895**, 51.
—— chloride, Proc., **1895**, 51.
2:1′-Ethoxynaphthalenesulphonic acid, Proc., **1895**, 49.
—— —— nitro-, Proc., **1895**, 49.
2:1′-Ethoxynaphthalenesulphonic acid, chloride, Proc., **1885**, 49.
—— nitro-, Proc., **1895**, 49.
2:2-′Ethoxynaphthalenesulphonic chloride, Proc., **1895**, 50.
2:3′-Ethoxynaphthalenesulphonic chloride, Proc., **1895**, 50.
—— —— 1-bromo-, Proc., **1895**, 50.
—— —— nitro-, Proc., **1895**, 50.
d-Ethoxysuccinic acid, 967,
l-Ethoxysuccinic acid, 967.
i-Ethoxysuccinic acid, resolution of, 960.
Ethoxysuccinic acids, active, ethereal salts of, 957.
Ethylamine, action of, on benzile, 43.
Ethylanhydrodibenzilacetoacetic acid, Proc., **1895**, 147.
Ethylbenzene, sulphonation of, Proc., **1895**, 48.
Ethylbenzene-*o*-sulphonamide, Proc., **1895**, 48.
Ethylbenzene-*p*-sulphonamide, Proc., **1895**, 48.
Ethylbenzene-*o*-sulphonic acid, Proc., **1895**, 48.
—— chloride, Proc., **1895**, 48.
Ethylbenzene-*p*-sulphonic acid, Proc., **1895**, 48.
—— chloride, Proc., **1895**, 48.
ab-Ethylbenzylcarbamide, 562.
ab-Ethylbenzylurea, 562.
Ethyl-1 : 5-diphenyl-3-oxytriazole, 1064.
Ethylene, incomplete combustion of, Proc., **1894**, 179.
a-Ethylenedihydroxylamine dihydrobromide, 1018.
Ethylenic glycol, phenylic ether of, Proc., **1895**, 40.
—— oxide, action of hydroxylamine on, 1019.
Ethylic alcohol, action of, on nitrososulphates, 1101.
—— *β*-amidocrotonate, action of heat on, 215.
—— anhydrodibenzileacetoacetate, Proc., **1895**, 146.
—— benzoylsarcolactate, Proc., **1895**, 54.
—— *l*-bromopropionate, 921.
—— *iso*-butylanhydrodibenzileacetoacetate, Proc., **1895**, 147.
Ethylic *allo*-campholytate, 340.
—— —— dibromide, 340.
—— *allo*-camphothetate, 344.
—— *d*-chloropropionate, 918.
—— cinnamoylthiocarbamate, 1049.
—— *a*-cyanopropionate, preparation of, 420.
—— dicarboxyglutaconate, combination of, with guanidine, 1008.
—— dicyanopropionate, 422.
—— ethoxymethylenemalonate, action of hydrazine hydrate on, 1008.
—— *d*-ethoxysuccinate, 972.
—— ethylanhydrodibenzileacetoacetate, Proc., **1895**, 146.
—— hydrazodimethylenedimalonate, 1010.
—— —— action of ammonia on, 1012.
—— —— action of hydrazine hydrate on, 1011.
—— hydrogen benzoïnylmalonate, 133.
—— —— desylenemalonate, 134.
—— *d*-lactate, 917.
—— malonate, condensation of benzile with, 132.
—— —— condensation of ethylic 1 : 1-trimethylenedicarboxylate with, 108, 111.
—— *l*-methoxysuccinate, 971.
—— methylbutanetetracarboxylate, formation of, 114.
—— methyl-*iso*-butylacetate, 511.
—— *ββ*-methylethylpropionate, 267.
—— methylmalonate, condensation of ethylic 1 : 1-trimethylenedicarboxylate with, 114.
—— *a*-methyl-*γ*-phenoxyethylmalonate, Proc., **1895**, 40.
—— phenylic ether, brom-, Proc., **1895**, 40.
—— —— ether, chlor-, Proc., **1894**, 40.
—— potassium camphorate (allo), electrolysis of, 337.
—— —— sulphobenzenexanthate, Proc., **1895**, 141.
—— pyrazolonecarboxylate, constitution of, 1009, 1013.
—— sarcolactate, Proc., **1895**, 54.
—— succinyldi-*β*-thiocarbamate, 571.
—— 3 : 4 : 5-tribromobenzoate, 596.
—— trimethylcyanosuccinate, 422.
—— 1 : 1-trimethylenedicarboxylate, condensation of, with ethylic malonate, 108, 111.
—— —— condensation of, with ethylic methylmalonate, 114.
—— 2 : 4 : 6-trinitrobenzoate, 600.
—— valerylthiocarbamate, 1045.
ab-Ethylphenylcarbamide, 564.
ab-Ethylphenylurea, 564.

Ethylthiobenzenesulphonic acid, potassium salt of, PROC., **1895**, 141.
Ethyl-*o*-toluidine, action of diazotised *p*-nitro-*o*-toluidine on, 249.
—— derivatives of, 246.
—— *p*-nitro-, action of diazotised *m*-nitraniline on, 250.
—— —— —— action of diazotised *p*-nitro-*o*-toluidine on, 250.
—— —— action of diazotised *o*-toluidine on, 249.
1 : 2 : 4-Ethyltolylenediamine, 247.
Evodia meliæfolia, colouring principle of, 413, 414.

F.

Fergusonite, helium from, 689.
Ferric chloride, molecular refraction of dissolved, 836, 844.
Ferromanganese, estimation, volumetric, of manganese in, 274.
Fisetin hydrobromide, 649.
—— hydrochloride, 649.
—— hydriodide, 649.
—— sulphate, 648.
Flame, coal-gas, structure of, and chemistry of the non-luminous, 1051; PROC., **1895**, 72.
—— of acetylene, 1059.
—— temperature gradients of, 1050.
—— temperatures, 1049.
Flames, alleged liberation of carbon from cyanogen in, 1061.
—— hydrocarbon, luminous, acetylene, theory of, 1049, 1147.
—— —— —— structure of, 1054.
—— —— —— temperatures of different parts of, 1053.
—— —— non-luminous, measurement of the temperature of, 1051.
—— occurrence of acetylene in, 1057.
—— temperatures of different parts of, 1050.
Formyl derivatives of aromatic amines, preparation of, 829.
Formyl-*o*-tolylhydrazide, 830.
Freezing point of very dilute solutions, a new method of determining, 1.
Freezing points of acetic acid and its chloro-derivatives, 669, 679.
—— —— of gold and silver, 1024.
—— —— of metals, 185.
—— —— of salts, 190.
—— —— of solutions of the metallic salts of active lactic acids, 632.
Fusion, latent heat of, PROC., **1895**, 125.
—— —— —— and chemical constitution, relationship between, 315.

G.

Gallacetophenoneoxime, 997.
Galvanic cell, E.M.F. of an iodine, PROC., **1895**, 30.
Gamoose, milk of the, PROC., **1895**, 77.
Gas, showing the spectrum of helium, 1108.
Gases enclosed in rock salt, occurrence of argon in, PROC., **1895**, 143.
—— rate of escape of, from solutions of varying concentration, 869, 983.
Glucosides from the root of *Polygonum cuspidatum*, 1085.
Glycocine, action of nitrosyl chloride on, 491.
Glycollic aldehyde, new formation of, 774.
Gold, action of potassium cyanide solutions on, 199.
—— bromide, molecular refraction of dissoved, 837, 845.
—— chloride, dissociation of, 881.
—— —— molecular refraction of dissolved, 336, 844.
—— —— physical properties of, 905.
—— —— volatilisation of, 895.
—— crystalline standard, liquation in, 552.
—— freezing point of, 189, 1024.
—— sodium chloride, molecular refraction of dissolved, 836, 844.

H.

Heat capacity of acetic acid and its chloro-derivatives, 665, 675, 676.
—— latent, of fusion, PROC., **1895**, 125.
—— —— —— —— and chemical constitution, relationship between, 315.
—— of dissolution of acetic acid and its bromo- and chloro-derivatives, 667, 676.
—— of fusion of acetic acid and its chloro-derivatives, 665, 675, 676.
Heats, specific, of helium, ratio of the, 696.
Helium, a gaseous constituent of certain minerals, 685.
—— density of, 695.
—— discovery of, in cleveite, 1107.
—— properties of, 690.
—— ratio of the specific heats of, 696.
—— solubility of, in water, 698.
—— sources of, 685.
—— spectrum of, 687, 698, 1108.
—— wave length of sound in, 695.
Hemipinic acid from corydaline, 18.
p-Heptoyltoluene and its derivatives, 502.

p-Heptoyltolueneoxime, 505.
p-Heptoyltoluidide, 506.
Hexahydro-*o*-toluic acid, conversion of the *cis*- into the *trans*- form of, 127.
cis-Hexahydro-*o*-toluic acid, 125.
—— anilide, 126.
trans-Hexahydro-*o*-toluic acid, 123.
—— anilide, 124.
cis- and *trans*-Hexahydro-*o*-toluic acids, 119.
Hexane, normal, vapour-pressures, specific volumes and critical constants of, 1071.
Hexatriosazone, 708, 744.
Hexatriose, 708, 744.
Hexose, 780.
Hexyl *p*-tolyl ketone, 502.
—— —— ketoxime, 505.
Hexylene, magnetic rotation of, 257.
Hexylethylene, magnetic rotation of, 257.
Hippuric acid, action of nitrosyl chloride on, 491.
Hjelmite, helium from, 689.
Homorottlerin, 233.
Hops, essential oil of, 54.
Humulene, 62.
—— derivatives of, 780.
—— nitrolbenzylamine, 781.
—— nitrolpiperidide, hydrochloride, 780.
—— nitrosate, 781.
—— nitrosite, 782.
Hydrates, existence of, in solution, PROC., **1895**, 87.
Hydrazines, a new series of, 1090.
—— quaternary, 1090.
Hydrocarbon, $C_{14}H_{18}$, from *p*-heptoyltoluene, 507.
Hydrocarbons, aromatic, modification of Zincke's reaction for the preparation of, 826.
—— unsaturated, magnetic rotation of, 255.
Hydrogen bromide, molecular refraction of dissolved, 836, 839, 844, 865.
—— chloride, action of, on the oxides of barium, calcium, and magnesium, PROC., **1894**, 240.
—— —— molecular refraction of dissolved, 835, 844, 864.
—— —— rate of escape of, from aqueous solutions of varying concentration, 876, 880.
—— fluoride, acidimetry of, 251.
—— —— estimation, volumetric of, 252.
—— iodide, molecular refraction of dissolved, 837, 845.
—— sulphide, rate of, escape of, from aqueous solutions of varying concentration, 876, 880.
Hydrolysis in fermentation, hypothesis as to, 1136.
—— of aromatic nitriles and amido-acids, 601.
Hydroxy-acids, action of acidic oxides on salts of, 102, 1030.
α-Hydroxyadipic acid, 159.
Hydroxycamphoric acid, PROC., **1895**, 33, 88.
2-Hydroxy-4-ethoxybenzoic acid, 995.
Hydroxylamine, acid sulphate of, 226.
Hydroxylapachol, barium derivative of, 788.
—— calcium and silver derivatives of, 791.
—— from the seeds of *Lomatia ilicifolia* and *L. longifolia*, 787.
—— isomeride of, 793.
3 : 2-Hydroxynaphthyl-1 : 4-naphthaquinone, 659.
Hydroxyphenoxyethane, PROC., **1895**, 40.
p-Hydroxyphenylthiourea, 559.
4-Hydroxypyridine-2 : 6-dicarboxylic acid, 403.
Hystazarin methyl ether from chay root, 819, 822.

I.

Iodine cell, E.M.F. of an, PROC., **1895**, 30.
—— solutions, titration of, with barium thiosulphate, 314.
Ionic dissociation, hypothesis of, 1124.
Iron, estimation, volumetric, of manganese in, 275.
Isomeric change, arrest of, at an intermediate stage, PROC., **1895**, 49.
Isoprene, magnetic rotation of, 258.

J.

Jack-fruit tree, constituents of the wood of, 937.
Jute, action of aqueous soda and carbon bisulphide on, 444.

K.

Kamala, 230.
—— yellow crystalline colouring matter from, 233.

L.

Lactic acid, action of arsenious and antimonious anhydrides on salts of, 1036.

Lactic acid, optically active, ethereal salts of, 914.
—— acids, active, freezing points of, solutions of metallic salts of, 632.
—— —— —— preparation of, 616.
—— —— —— rotation of the metallic salts of, in solution, 616.
iso-Lapachone, isomeride of, 793.
Lauroylbenzene, 508.
Lead, liquation caused in standard gold by the presence of, 552.
—— nitrate, molecular refraction of dissolved, 838, 846, 865.
—— oxidising action of ammonia solutions on, PROC., **1895**, 9.
—— rottlerin, 235.
Light, action of, on antimony pentasulphide, 528.
Liquation in crystalline standard gold, 552.
Lithium chloride, molecular refraction of dissolved, 835, 839, 844, 864.
—— *l*-lactate, 625.
—— nitrate, molecular refraction of dissolved, 837, 845.
Lomatia ilicifolia, colouring matter from, 784.
—— *longifolia*, 784.

M.

Maclurin, derivatives of, 933.
Maclurinazobenzene-*p*-sulphonic acid, sodium salt of, 934.
Magnesium chloride, molecular refraction of dissolved, 836, 844.
—— freezing point of, 186.
—— *d*-lactate, 626.
—— oxide, action of dry hydrogen chloride on, PROC., **1894**, 240.
—— sulphate, molecular refraction of dissolved, 838, 866.
Magnetic rotation of unsaturated hydrocarbons, 255.
Malic acid, action of antimonious oxide on the salts of, 1035.
Malonamide, action of aniline on, 1006.
—— action of nitrosyl chloride on, 490.
—— diamido-, 1003.
—— nitro-, 1005.
Malonic acid, amido-, 1006.
—— —— derivatives of, 1002.
Maltodextrin, preparation of, 703.
Maltosazone, 742.
—— modification of, by the osazone derivatives of maltodextrin, 734.
"*iso*-Maltosazone," 706, 719—728, 730, 731, 735, 740, 744.
—— synthetical production of, 731.
Maltose, action of the diastase of kiln-dried malt on, 742.
—— action of yeast on, PROC., **1895**, 46.
—— birotation of, 312.
—— estimation, gravimetric, of, with Fehling's solutions, 999.
—— hydrolysis of, by yeast, PROC., **1895**, 46.
—— fermentation of, 729.
—— Lintner's, 706, 707, 709, 714, 739.
Manganese, estimation, volumetric, of, 268.
Marignac memorial lecture, 468.
—— titles of published papers by, 485.
Melting points of mixtures, 327.
Memorial Lecture—JEAN CHARLES GALISSARD DE MARIGNAC, 468.
Mercuric perchlorate, 1013.
Mercurous nitrate hypophosphite, 227.
—— perchlorate, 1015.
Mercury, action of, on fused ammonium salts, PROC., **1895**, 114.
—— hypophosphites, 227.
Mesoxalamide hydrazone, 1003.
—— nitrophenylhydrazone, 1004.
—— phenylhydrazone, 1003.
Metals, action of nitric acid on, 1151.
—— molecular complexity of, in the liquid and solid states, 1162.
4-Methoxy-2-hydroxybenzoic acid, 994.
2 : 1′-Methoxynaphthalenesulphonamide, PROC., **1895**, 50.
2 : 3′-Methoxynaphthalenesulphonamide, PROC., **1895**, 50.
2 : 1′-Methoxynaphthalenesulphonanilide, PROC., **1895**, 50.
2 : 3′-Methoxynaphthalenesulphonanilide, PROC., **1895**, 50.
2 : 1′-Methoxynaphthalenesulphonic chloride, PROC., **1895**, 59.
2 : 3′-Methoxynaphthalenesulphonic chloride, PROC., **1895**, 50.
Methoxysuccinic acids, optically active, 944.
—— —— —— —— ethereal salts of, 957.
d-Methoxysuccinic acid, 949.
l-Methoxysuccinic acid, 949.
i-Methoxysuccinic acid, resolution of, into its optically active components, 944, 959.
a-Methyladipic acid, 115.
—— —— salts of, 116.
Methylamine, action of, on phenanthraquinone, 45.
Methyl-*iso*-butylacetamide, 511.
Methyl-*iso*-butylacetanilide, 512.
Methyl-*iso*-butylacetic acid, 509, 511.
—— chloride, 511.

Methyl-*iso*-butylacetyl-*p*-toluidide, 512.
Methyl-*iso*-butylmalonic acid, 510.
α-Methylbutyrolactone, synthesis of, PROC., **1895**, 40.
μ-Methyl-*n*-diethyldiphenylimidazolonium iodide, 44.
n-Methyldiphenyleneimidazole, 46.
Methylenic diphenylic ether, PROC., **1895**, 40.
μ-Methyl-*n*-ethyldiphenylimidazole, 43.
ββ-Methylethylpropionamide, 267.
ββ-Methylethylpropionanilide, 268.
ββ-Methylethylpropionic acid, 264, 267.
ββ-Methylethylpropion-*o*-toluidide, 268.
Methylhexamethylenecarboxylic acid, 125.
Methylic acetylsarcolactate, PROC., **1895**, 54.
—— *o*-bromobenzoate, 590.
—— *p*-bromobenzoate, 591.
—— bromopropionate, 920.
—— *l*-chloropropionate, 919.
—— 2 : 4-dibromobenzoate, 592.
—— 2 : 6-dibromobenzoate, 595.
—— 3 : 5-dibromobenzoate, 594.
—— diethylic ethanetetracarboxylate, 774.
—— dihydrogen ethanetetracarboxylate, 771.
—— 2 : 6-dinitrobenzoate, 599.
—— dipotassium ethanetetracarboxylate, electrolysis of, 772.
—— ethanetetracarboxylate, 770.
—— *d*-ethoxysuccinate, 971.
—— *l*-ethoxysuccinate, 972.
—— *l*-lactate, 916.
—— *d*-methoxysuccinate, 970.
—— sarcolactate, PROC., **1895**, 54.
—— 2 : 3 : 4 : 6-tetrabromobenzoate, 599.
—— 2 : 4 : 6-tribromobenzoate, 597.
—— 3 : 4 : 5-tribromobenzoate, 596.
—— triethylic ethanetetracarboxylate, 773.
—— 2 : 4 : 6-trinitrobenzoate, 600.
α-Methyl-*γ*-phenoxyethylmalonic acid, PROC., **1895**, 40.
ab-Methylphenylbenzylcarbamide, 563.
ab-Methylphenylbenzylurea, 563.
ab-Methylphenylcarbamide, 561.
ab-Methylphenylurea, 561.
Methylpropylethylene, magnetic rotation of, 257.
2-Methylpyridine, 4-chloro-, 405.
2-Methyl-6-pyridinecarboxylic acid, 4-chloro-, 404.
Methylresacetophenone, methyl ether, 996.
—— —— —— bromo-, 997.
Methyl-*β*-resorcylic acid, methyl ether of, 994.
Milk of the gamoose, PROC., **1895**, 77.
Mixtures, melting points of, 327.
Monazite, helium from, 689.
Morin hydriodide, 650.
—— hydrobromide, 649.
—— hydrochloride, 650.
Mucic acid, action of antimonious oxide on salts of, 1037.
—— —— action of arsenious anhydride on the salts of, 1038.

N.

Naphthalene and *α*-naphthol, melting points of mixtures of, 333.
—— and *β*-naphthol, melting points of mixtures of, 333.
—— constitution of the tri-derivatives of, PROC., **1895**, 78, 79, 81, 82, 84.
—— 1 : 4 : 2-dibromonitro-, 907.
—— homonucleal, tri-derivatives of, 907.
—— *α*-nitro-, action of sulphur on, 640.
—— *αα*-thio-, 642.
—— trichloro-, of m. p. 75·5°, non-existence of, PROC., **1895**, 83.
—— 1 : 2 : 2′-trichloro-, PROC., **1895**, 80.
—— 1 : 3 : 3′-trichloro-, PROC., **1895**, 81.
Naphthalene-2-diazo-1-oxide, 4-bromo-, 908.
Naphthalene-2 : 3′-disulphonic chloride, Alen's *α*-nitro-, the trichloronaphthalene derivable from, PROC., **1895**, 81.
—— —— 4-chloro-, PROC. **1895**, 83.
Naphthalenes, trichloro-, the fourteen isomeric, PROC., **1895**, 84.
Naphthalene-2′-sulphonic chloride, Cleve's 1 : 2-nitrochloro, the trichloronaphthalene derivable from, PROC., **1895**, 79.
Naphthalenesulphonic chlorides, formation of chloronaphthalenes from, PROC., **1895**, 86.
α-Naphthol and naphthalene, melting points of mixtures of, 333.
—— and *β*-naphthol, melting points of mixtures of, 332.
—— 1′ : 2′-dichloro-, PROC., **1895**, 78.
—— 2′ : 3′-dichloro-, PROC., **1895**, 79.
—— 4 : 2-iodonitro-, 913.
β-Naphthol and naphthalene, melting points of mixtures of, 333.
—— and *α*-naphthol, melting points of mixtures of, 332.

α-Naphthols, dichloro-, from dichlorophenyl-*iso*-crotonic acid, PROC., **1895**, 78.
β-Naphthylamine, 1 : 4-dibromo-, 907.
—— —— action of nitrous acid on, 908.
—— 1 : 4-chlorobromo-, 910.
—— —— action of nitrous acid on, 911.
α-Naphthylamine-2 : 2′-disulphonic acid of Freund's German patent 27,346, PROC., **1895**, 82.
2-Naphthylnaphthaquinol, 658.
2-Naphthyl-1 : 4-naphthaquinone, 657.
Nickel, action of, on fused ammonium salts, PROC., **1895**, 114.
—— oxidising action of ammonia solution on, PROC., **1895**, 9.
Nitric acid, action of, on metals, 1151.
—— —— molecular refraction of dissolved, 837, 845, 865.
Nitric peroxide, liquid, influence of the solvent on the dissociation of, 794.
Nitriles, aromatic, hydrolysis of, 601.
Nitrogen, atmospheric and chemically prepared, relative behaviour of, PROC., **1894**, 222.
—— Kjeldahl's method for the determination of, as applied to elementary organic analysis, 813.
Nitrososulphates, 452, 1019, 1095, 1098.
—— action of alcohol on, 1101.
—— constitution of, 1098.
"Nitrosulphates," 1098.
Nitrosyl chloride, action of, on amides, 489.
"Nitroxysulphites," 1098.

O.

Octacetylmaltose, 212.
Octylene, magnetic rotation of, 257.
Oil, essential, of hops, 54.
Orangeite, helium from, 689.
Osazones, stereoisomeric, 606.
Oxamic acid, action of nitrosyl chloride on, 490.
Oxamide, action of nitrosyl chloride on, 490.
Oxanilide, action of nitrosyl chloride on, 490.
Oxypyridine derivatives, 399.
Oxysulphantimonic acid, 542.
Oxysulpharsenic acid, 533.

P.

Palladium, action of, on fused ammonium salts, PROC., **1895**, 114.
Pellitorine, 101.
Pellitory of medicine, the active constituent of, 100.
Pentane, incomplete combustion of, PROC., **1894**, 181.
Periodic law and refraction equivalent of the elements, PROC., **1895**, 10.
Persian berries, a constituent of, 496.
Phenanthraquinone, action of benzylamine on, 46.
—— action of methylamine on, 45.
Phenol, α-dinitro- and acetanilide, melting points of mixtures of, 331.
—— —— and *o*-nitrophenol, melting points of mixtures of, 332.
—— *o*-nitro- and α-dinitrophenol, melting points of mixtures of, 332.
Phenylazocarbamide, 1067.
Phenyl-1-*iso*-crotonic acid, 1 : 2-dichloro-, dichloro-α-naphthols, and trichloronaphthalenes from, PROC., **1895**, 78.
Phenyldibenzoylacetic acid, PROC., **1895**, 147.
Phenyldibenzoylmethane, PROC., **1895**, 147.
μ-Phenyldiphenyleneoxazole, 46.
Phenylhydrazine, action of nitrosobenzene on, 928.
—— derivatives, action of magnesium on, PROC., **1895**, 9.
Phenylmercaptansulphonic acid, potassium salt of, PROC., **1895**, 141.
Phenyloxamide, action of nitrosyl chloride on, 490.
Phenylsemicarbazide, action of benzaldehyde on 1064; PROC., **1895**, 125.
ab-Phenyl-*m*-tolylcarbamide, 562.
ab-Phenyl-*p*-tolylcarbamide, 562.
Phenyltolylmethane, preparation of, 828.
ab-Phenyl-*m*-tolylthiocarbamide, 557.
ab-Phenyl-*m*-tolylurea, 562.
ab-Phenyl-*p*-tolylurea, 562.
Phenylxylylmethane, preparation of, 828.
ab-Phenyl-*m*-xylylthiocarbamide, 558.
Phosphorescence at the temperature of boiling liquid air, PROC., **1894**, 171.
Photographic action at the temperature of boiling liquid air, PROC., **1894**, 171.
Phthalimide, action of nitrosyl chloride on, 491.
Phthalyldithiocarbimide, 573.
—— action of various bases on, 574.
—— derivatives of, 565.
Physiological action of piperovatine, 99.
Picolinic acid, αγ-dichloro-, preparation of, 408.
Piper ovatum, constituents of, 94.
Piperovatine, 98.
—— physiological action of, 99.

Pitchblende, helium from, 689.
Platinic pyrophosphate, formation of, 513.
Platinum chloride, molecular refraction of dissolved, 836, 844.
Polycrase, helium from, 689.
Polygonin, 1085.
Polygonum cuspidatum, constituents of the root of, 1084.
Potassium antimoniocitrate, 1030.
—— antimoniomalonate, 1035.
—— antimoniomucate, 1037.
—— antimony chloride, 516.
—— arseniocitrate, 1033.
—— arseniomucate, 1038,
—— bromide, molecular refraction of dissolved, 837, 844, 865.
—— chloride, freezing point of very dilute solutions of, 14.
—— —— molecular refraction of dissolved, 836, 844, 865.
—— cyanide solutions, action of, on gold and silver, 199.
—— *allo*-ethylic camphorate, electrolysis of, 337.
—— iodide, molecular refraction of dissolved, 837, 845, 865.
—— nitrate, molecular refraction of dissolved, 837, 845.
—— nitrososulphate, 452.
—— —— action of alcohol on, 1098.
—— —— alleged isomerism of, 1019.
—— oxysulphantimonate, 540.
—— platinochloride, reduction of, 984.
—— *d*-propyoxysuccinates, 955.
—— rottlerin, 235.
—— sulphate, freezing point of, 191.
—— —— molecular refraction of dissolved, 838.
—— tartrarsenite, 104.
—— zinc sulphate, molecular refraction of dissolved, 838.
Propionic acid, bromo-, optically active, ethereal salts of, 914.
—— —— chloro-, optically active, ethereal salts of, 914.
Propoxysuccinic acids, optically active, 944.
d-Propoxysuccinic acid, 954.
i-Propoxysuccinic acid, preparation of, 949,
—— —— resolution of, 952.
l-Propoxysuccinic acid, 954.
Propylcarbamide, 563.
Propylic *l*-bromopropionate, 922.
—— *d*-chloropropionate, 919.
—— *d*-ethoxysuccinate, 973.
—— *l*-ethoxysuccinate, 973.
—— *l*-lactate, 918.
—— *l*-methoxysuccinate, 971.
iso-Propylic *d*-ethoxysuccinate, 973.
Propylurea, 563.
Pseudaconitine, constitution of, PROC., **1895**, 154.
Pyrethrine, 101.
Pyridine derivatives, oxy-, 399.
$\alpha\alpha'$-Pyridinedicarboxylic acid, γ-chloro-, 402.
Pyropseudaconine, PROC., **1895**, 154.
Pyropseudaconitine, PROC., **1895**, 154.

Q.

Quercetin derivatives, 647.
—— hydrobromide, 647.
—— hydrochloride, 648.
—— hydriodide, 648.
—— identity of sophoretin with, 31.
—— preparation of, 646.
—— sulphate, 647.
Quinacetophenoneoxime, 998.

R.

Rate of escape of gases from solutions of varying concentration, 869, 983.
Refraction equivalents and the periodic law, PROC., **1895**, 10.
—— molecular, of dissolved salts and acids, 831.
Resin, from *Piper ovatum*, 96.
β-Resorcylic acid, derivatives of, 990.
—— —— ethyl ether, 995.
—— —— ethylation of, 995.
—— —— methyl ether of, 994.
—— —— methylation of, 993.
Rhamnazin, 498.
—— constitution of, 500.
—— sulphate, 651.
Rhamnetin sulphate, 650.
Root of *Polygonum cuspidatum*, constituents of, 1084.
Rotatory power of camphorsulphonic bromides and chlorides, 354.
—— —— of corydaline, 17.
—— —— of ethereal methoxy- and propoxy-succinates, 957.
—— —— of ethereal salts of optically active, lactic, chloropropionic and bromopropionic acids, 914.
—— —— of ethereal salts of sarcolactic acid, PROC., **1895**, 54.
—— —— of halogen derivatives of camphor, 372.
—— —— of metallic salts of active lactic acids, 616.
—— —— of methoxy- and propoxy-succinic acids, 949.
—— —— of octacetylmaltose, 214.
Rottlerin, a dyeing property of, 238.

Rottlerin, action of nitric acid on, 230.
—— action of sodium carbonate on, 237.
—— metallic derivatives of, 233—236.
—— molecular weight of, 233.
Rottlerone, 237.
Rubidium chloride, molecular refraction of dissolved, 836, 844.
—— sulphate, molecular refraction of dissolved, 838.
Rutin, identity of sophorin with, 32.

S.

"Saccharin," crystallography of, 985.
Salts, coagulation of arsenious sulphide solutions by, 63.
—— dissolved, molecular refraction of, 831.
Samarskite, helium from, 687.
Sarcolactic acid, ethereal derivatives of, PROC., **1895**, 54.
—— —— rotatory powers of the ethereal derivatives of, PROC., **1895**, 54.
Sesquiterpene from oil of hops, 59.
Silico-spiegel, estimation, volumetric, of manganese in, 274.
Silver, action of, on fused ammonium salts, PROC., **1895**, 114.
—— amalgam, remarkable molecular change in, 239.
—— freezing point of, 188, 1024, 1027, 1028.
—— *d*-lactate, 627.
—— nitrate and urea, interaction of, 765.
—— ornaments from Inca graves at Chimbote, Peru, chemical composition of, 242.
—— rottlerin, 236.
—— solubility of, in solutions of potassium cyanide, 204.
Sodium antimoniocitrate, 1031.
—— arseniocitrate, 1034.
—— carbonate, freezing point of, 191.
—— chlorate, molecular refraction of, dissolved, 838.
—— chloride, molecular refraction of dissolved, 835, 844, 864.
—— detection of, by means of dihydroxytartaric acid, 48.
—— nitrosulphate, 1095.
—— rottlerin, 233.
—— sulphate, freezing point of, 191.
—— —— molecular refraction of dissolved, 838, 866.
—— tartrarsenite, 103.
Solution and pseudo-solution, 63.
Solution, existence of hydrates and of double compounds in, PROC., **1895**, 87.
Solutions, dilute, new method of determining the freezing point of, 1.
—— of varying concentration, rate of escape of gases from, 869, 983.
Sophora japonica, yellow colouring matter of, 30.
Sophoretin, identity of, with quercetin, 31.
Sophorin, identity of, with rutin, 32.
Spectrum of helium, 687, 698, 1108.
Spiegeleisen, estimation, volumetric, of manganese in, 274.
Starch, action of diastase on, 702, 739.
—— action of diastase prepared from kiln-dried malt on, 707, 744.
—— hydrolysis, fractionation of the products of, 717.
—— paste, action of diastase on, in the cold, 309.
Steel, estimation, volumetric, of manganese in, 275.
Strontium chloride, molecular refraction of dissolved, 836, 844, 864.
—— *l*-lactate, 626.
—— rottlerin, 235.
—— tartrarsenite, 105.
Strychnine, *d*-ethoxysuccinate, 965.
—— *l*-ethoxysuccinate, 965.
—— *l*-ethoxysuccinate, acid, 964.
—— *l*-methoxysuccinate, 964.
Succinic acid, chloro-, lævorotatory, formation of, 494.
Succinimide, action of nitrosyl chloride on, 491.
Succinyl-*ab*-dimethyldiphenyldithiourea, symmetrical, 570.
Succinyl-*ab*-di-*a*-naphthyldithiocarbamide, 569.
Succinyl-*ab*-di-*a*-naphthyldithiourea, 569.
Succinyl-*ab*-diphenyldibenzyldithiourea, symmetrical, 570.
Succinyl-*ab*-diphenyldisemithiocarbazide, 571.
Succinyl-*ab*-diphenyldithiocarbamide, 566.
Succinyl-*ab*-diphenylthiourea, 566.
Succinyldithiocarbamide, 563.
—— action of alcoholic ammonia on, 573.
—— action of water on, 572.
—— derivatives of, 565.
Succinyl-*ab*-di-*o*-tolyldithiocarbamide, 569.
Succinyl-*ab*-di-*o*-tolyldithiourea, 569.
Sugars, estimation, volumetric, by means of an ammoniacal copper solution, PROC., **1895**, 43.

Sulphanilic acid, thio-derivatives of, PROC., **1895**, 141.
Sulphantimonic acid, 542.
Sulphocamphylic acid, PROC., **1895**, 23.
—— —— fusion of, with potash, PROC., **1895**, 24.
Sulphur compounds in the atmosphere, attempts to estimate, PROC., **1894**, 218.
Sulphuric acid, molecular refraction of dissolved, 838, 866.
Sulphurous anhydride, rate of escape of, from aqueous solutions of varying concentrations, 877, 880.

T.

Tantalite, helium from, 689.
Tartrarsenic acid, salts of, 103.
Tartrarsenious acid, 105.
Tartrarsenites, metallic, 102.
Telluric acid, action of hydrogen sulphide on solutions of, 527, 543.
Tellurium, atomic weight of, 549.
Temperature, effect of, on phosphorescence, PROC., **1894**, 172.
—— gradients of flames, 1050.
Temperatures, high, determination of, by means of platinum-resistance pyrometers, 160.
Tetracetylbenzaconine, 461.
Tetraphenylhydrazine, 1091.
Tetra-*p*-tolylhydrazine, 1093.
Thermometer, platinum-resistance, 161.
Thiocarbamide, substitution derivatives of, 557.
aa'-Thionaphthalene, 642.
Thiourea, substitution derivatives of, 556.
Tin, freezing point of, 185.
Toddalia aculeata, colouring matter of, 413.
Toluene, *p*-chloro-, sulphonation of, PROC., **1895**, 153.
—— 2 : 3-chloronitro-, PROC., **1895**, 152.
—— 2 : 4-chloronitro-, PROC., **1895**, 152.
—— 2 : 3-dichloro-, PROC., **1895**, 151.
—— —— sulphonation of, PROC., **1895**, 151.
—— 2 : 4-dichloro-, PROC., **1895**, 151.
—— —— sulphonation of, PROC., **1895**, 151.
—— 2 : 6-dichloro-, PROC., **1895**, 151.
—— —— sulphonation of, PROC., **1895**, 151.
—— 3 : 5-dichloro-, PROC., **1895**, 152.
—— —— sulphonation of, PROC., **1895**, 152.
Toluene, 3 : 2 : 5-dichloronitro-, PROC., **1895**, 152.
o-Toluenеazomaclurin, 934.
Toluene-2 : 6-disulphonic acid, PROC., **1895**, 154.
—— chloride, PROC., **1895**, 154.
Toluene-3 : 4-disulphonic acid, PROC., **1895**, 154.
—— chloride, PROC., **1895**, 154.
Toluenedisulphonic acids, PROC., **1895**, 152.
—— —— *o*-chloro- and *p*-chloro-, PROC., **1895**, 152.
Toluenesulphonamide, 2 : 3-dichloro-, PROC., **1895**, 151.
—— 2 : 6-dichloro-, PROC., **1895**, 151.
—— 3 : 5-dichloro-, PROC., **1895**, 152.
Toluene-2-sulphonamide, 4-chloro-, PROC., **1895**, 153.
Toluene-3-sulphonamide, 4-chloro-, PROC., **1895**, 153.
—— —— 5 : 6-dichloro-, PROC., **1895**, 151.
—— 4 : 6-dichloro-, PROC., **1895**, 151.
Toluenesulphonic chloride, 2 : 3-dichloro-, PROC., **1895**, 151.
—— —— 2 : 6-dichloro-, PROC., **1895**, 151.
—— —— 3 : 5-dichloro-, PROC., **1895**, 152.
Toluene-2-sulphonic chloride, 4-chloro-, PROC., **1895**, 153.
Toluene-3-sulphonic chloride, 4-chloro-, PROC., **1895**, 153.
—— —— 4 : 6-dichloro- PROC., **1895**, 151.
—— —— 5 : 6-dichloro, PROC., **1895**, 151.
o-Toluic chloride, reduction of, PROC., **1894**, 216.
m-Toluidine, 2-chloro., PROC., **1895**, 152.
—— 5 : 6-dichloro-, PROC., **1895**, 152.
o-Toluidine, 6-chloro-, PROC., **1895**, 152.
—— 3 : 5-chloronitro-, PROC., **1895**, 152.
p-Toluidine, 2-chloro-, PROC., **1895**, 152.
n-p-Tolyl-*v*-dibenzylthiourea, 558.
m-Tolylthiourea, 559.
p-Tolylthiourea, 1043.
Triacetylaconitine, 462.
Triacetylbenzaconine, 460.
—— trihydrate, 461.
Triacetylpyraconitine, 463.
Triacetylrhamnazin, 498.
Tribenzoylrhamnazin, 499.
Tribenzylthiourea, 557.
Trimethylcyanopropionic acid, 425.
Trimethylenecarboxylic acid, action of bromine on, 118.
—— —— physical properties of, 116.
Trimethylethylene, magnetic rotation of, 256.

Trimethylsuccinic acid, 416.
—— —— preparation of, by Bischoff's reaction, 431.
—— anhydride, 428.
Trimethylthiourea, 557.

U.

Urea and silver nitrate, interaction of, 765.
—— substitution derivatives of, 556.
—— transformation of ammonium cyanate into, 746.
Urethane, action of nitrosyl chloride on, 491.

V.

iso-Valeric chloride, reduction of, PROC., **1894**, 216.
n-Valeryl-*ν*-benzylphenylthiourea, 1044.
ab-Valeryl-*a*-naphthylthiocarbamide, 1044.
ab-Valerylphenylthiocarbamide, 1041.
Valerylthiocarbimide, derivatives of, 1040.
Valerylthiourea, 1045.
Valeryl-*β*-thiourethane, 1045.
Valeryl-*o*-tolylcarbamide, 1043.
ab-Valeryl-*o*-tolylthiocarbamide, 1042.
ab-Valeryl-*p*-tolylthiocarbamide, 1043.
Vapour pressures of normal hexane, 1071, 1074.
Velocity of transformation of ammonium cyanate into urea, 751.
Veratrylpseudaconine, PROC., **1895**, 155.
Volumes, specific, of normal hexane, 1071, 1075.

W.

Water, influence of, on chemical change, 1139.
Wax from *Poylgonum cuspidatum*, 1089.

X.

Xenotime, helium, from, 688.

Y.

Yeast, hydrolysis of maltose by, PROC., **1895**, 46.
Yttrium-cerium group, not yet thoroughly characterised elements of, 477.
—— —— perfectly characterised elements of, 475.
Yttrotantalite, helium from, 687.

Z.

Zinc ammonium lactates, active, preparation of, 617.
—— —— sulphate, molecular refraction of dissolved, 838.
—— freezing point of, 183.
—— oxidising, action of ammonia solution on, PROC., **1895**, 9.
—— potassium sulphate, molecular refraction of dissolved, 838.
—— sulphate, molecular refraction of dissolved, 838, 866.

ERRATA.

VOL. LXI (TRANS., 1892).

Page	Line	
912	18*	*for* "crystallisation" *read* "cupellation."

VOL. LXIII (TRANS., 1893).

724	8	„ "R. C. Maclaurin" *read* "J. S. Maclaurin."

VOL. LXV (TRANS., 1894).

910	15*	*before* "The properties of" *insert* "The formula for the crystallised acid differs from that of dihydroxytartaric acid by two atoms of hydrogen."

VOL. LXVII (TRANS., 1895).

189	2	*for* "*d*" *read* "δ."
215	9	„ "50·39" *read* "59·39."
454	14*	„ "and that the explanations" *read* "and believe that the explanations."
563	21	„ "methylic thiocyanate" *read* "methylthiocarbimide."
564	14	„ "really" *read* "nearly."
845	5*	„ "30·86 − 32·03 | + 0·026," *read* "42·41—44·04 | + 0·036."
865	3*	col. ii, *for* "30·86" *read* "42·41."
„	2*	„ „ "30·99" „ "42·60."
„	bottom	„ „ "31·06" „ "42·69."
866	top	col. i, „ "31·44" „ "43·21."
„	2	„ „ "31·81" „ "43·73."
„	3	„ „ "32·03" „ "44·04."
871	4*	*Delete.*
872	8	*after* "increases" *insert* "The values of Q cannot be expressed by any simple equation."
1013	14*	*after* "acid" *insert* "distilling the chloric acid thus obtained."
1014	17*	*for* "$Ag(ClO_4)_2$" *read* "$Hg(ClO_4)_2$."

* From bottom.

HARRISON AND SONS, PRINTERS IN ORDINARY TO HER MAJESTY, ST. MARTIN'S LANE.